Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

- 1-7. (Canceled)
- 8. (Previously presented) A system for the partial oxidation of light hydrocarbons and the partial oxidation of H₂S, comprising:

a reaction zone for receiving said hydrocarbon and H₂S and oxygen and including a catalyst suitable for catalyzing the partial oxidation of said hydrocarbon and the partial oxidation of H₂S to form a product comprising CO, H₂, elemental sulfur and H₂O, and,

a cooling zone including a sulfur condenser for receiving said product from said reaction zone and removing elemental sulfur from said product.

- 9. (Previously presented) The system according to claim 8 comprising a mixing zone upstream of said reaction zone, said mixing zone adapted for receiving said hydrocarbon, H₂S, and oxygen gases.
- 10. (Original) The system according to claim 9 comprising a thermal barrier between said mixing zone and said reaction zone.
- 11. (Previously presented) The system according to claim 9 comprising an oxygen injection line in communication with said reaction zone.
- 12. (Previously presented) The system according to claim 9 comprising an oxygen injection line in communication with said mixing zone.

13-14. (Canceled)

15. (Currently amended) The system according to claim 8 comprising at least one tailgas processing converter unit downstream of said sulfur condenser for removing residual sulfur from said product.

- 16. (Original) The system according to claim 8 wherein said catalyst is supported on a wire gauze.
- 17. (Previously presented) The system according to claim 8 wherein the catalyst is selected from the group consisting of: platinum, rhodium, iridium, nickel, palladium, iron, cobalt, rhenium, rubidium, Pd-La₂O₃, Pt/ZrO₂, Pt/Al₂O₃ and combinations thereof.

18-20. (Canceled)

- 21. (Previously presented) The system of claim 8 comprising, in sequence:
 - a synthesis gas reactor having a light hydrocarbon gas inlet, an O2 inlet and an H2S inlet,
 - a firetube boiler for receiving gases from said reactor,
 - a sulfur condenser for receiving gases from said boiler and condensing elemental sulfur,
 - a heater for receiving gases from said condenser, and
 - a tailgas cleanup unit for receiving heated gases from said heater.
- 22. (Previously presented) The system of claim 21 further comprising, in sequence, a cooler for receiving product gas from said tailgas cleanup unit, and a quench tower.
- 23. (Previously presented) The system of claim 17 wherein said catalyst is capable of catalyzing the reactions

$$CH_4 + 1/2 O_2 \rightarrow CO + 2H_2$$

and

$$H_2S + 1/2 O_2 \rightarrow 1/x S_x + H_2O$$
, where x equals 2, 6, or 8.

- 24. (Canceled)
- 25. (Currently amended The system of claim 15 wherein said tailgas processing converter unit comprises a sulfur absorbing material.

26. (Previously presented) An apparatus for producing synthesis gas and elemental sulfur, the apparatus comprising:

means for effecting both the catalytic partial oxidation of a light hydrocarbon to form CO and H₂ products and the catalytic partial oxidation of H₂S to elemental sulfur and H₂O in a single reaction zone of a short contact time reactor, whereby a stream of product containing CO, H₂, H₂O and elemental sulfur is produced;

means for maintaining the temperature of said reaction zone above 500 degrees C; means for cooling said product stream below the dewpoint of sulfur; means for recovering condensed elemental sulfur from said cooling means; and means for recovering a stream of desulfurized synthesis gas.

- 27. (Previously presented) The apparatus of claim 26 comprising means for removing residual elemental sulfur from said desulfurized synthesis gas stream.
- 28. (Canceled)